Duilding blocks for MI immunity!

Recommended vaccines for children from birth through 6 years old

Timely vaccination is recommended by the Centers for Disease Control Prevention, the American Academy of Pediatrics and the American Academy of Family Physicians and are endorsed by the Michigan Department of Health and Human Services.



Ask your health care provider about combination vaccines to reduce the number of pokes in a visit.

*The number of doses in the series will depend on the vaccine product that your health care provider carries.



BIRTH

Diphtheria, Tetanus, Pertussis AGE 2 **MONTHS** Not earlier than 6 weeks of age

HepB

Hepatitis B

RV

Rotavirus

Hib

Hib meningitis

PCV

Pneumococcal

IPV

Polio

DTaP

RV Rotavirus









AGF 4 **MONTHS** Hepatitis B

Varicella

Chickenpox

Hib

Hib meningitis

PCV

Pneumococcal

MMR

Rubella

*Hib Hib meningitis

PCV Pneumococca

AGF 6

MONTHS

HepB

*RV

Rotavirus

IPV Measles, Mumps. Polio

DTaP HepA Diphtheria, Hepatitis A Tetanus, Pertussis

> AGE 12 **MONTHS** On or after first birthday

Everyone age 6 months and older is recommended to get flu vaccine each year!

Children 6 months through 8 years old may need 2 doses of vaccine, given 4 weeks apart. Ask your health care provider about your child's vaccine needs.

DTaP

Diphtheria,

Tetanus, Pertussis

AGF 15

MONTHS

MMR Measles, Mumps, Rubella

Varicella

Chickenpox



HepA Hepatitis A

AGF 18 MONTHS

DTaP Diphtheria, Tetanus, Pertussis

> AGE 4 TO 6 YEARS Before Kindergarten

The Michigan Department of Health and Human Services (MDHHS) does not discriminate against any individual or group because of race, religion, age, national origin, color, height, weight, marital status, genetic information, sex, sexual orientation, gender identity or expression, political beliefs or disability.